

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 233 576 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
21.08.2002 Bulletin 2002/34

(51) Int Cl.7: **H04L 12/28, H04L 12/18,
H04L 29/06, H04N 7/24,
H04H 1/00**

(21) Application number: **02251013.5**

(22) Date of filing: **14.02.2002**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

• **Salo, Juha**
20660 Littoinen (FI)
• **Walsh, Roderick**
33850 Tampere (FR)

(30) Priority: **15.02.2001 GB 0103753**

(71) Applicant: **Nokia Corporation**
02150 Espoo (FI)

(74) Representative: **Johnson, Ian Michael**
Nokia IPR Department,
Nokia House,
Summit Avenue
Farnborough, Hampshire GU14 0NG (GB)

(72) Inventors:
• **Aaltonen, Janne**
20900 Turku (FI)

(54) **Method and apparatus for accessing data**

(57) The present invention relates to accessing data on computer networks, and more particularly to accessing such data via remote terminals.

The present invention provides that unsolicited in-

formation is received via a first communications network on a communications device. Based on that information, the user can request further information via a second communications network.




FIG. 2

Description

[0001] The present invention relates to accessing data on computer networks, and more particularly to accessing such data via remote terminals.

[0002] Browsing the Internet and private Intranets via both personal computers and mobile telephones is common place. Typically, a user browses the Internet by connecting, via a telecommunications network to an Internet service provider (ISP). The ISP provides connection to the Internet, which allows the user to request data (for example, when an address or a hyperlink is followed), and allows the user to send data to an Internet site (for example, sending credit card details, personal preferences etc). Connection to an ISP is usually made through a telecommunications link which remains open whilst the user is browsing the Internet. The telecommunications link remains open even when the user is not actually sending or receiving data. For example, after a user has received a specific page from an Internet site, the connection is maintained even though the user may be reading that page. The connection is only terminated by the user at the end of a browsing session. Whilst the connection is maintained, a user is typically charged for the communications. Charges are typically levied either according to the length of time the telecommunications link remains open, or on the amount of data downloaded via the telecommunications network.

[0003] Browsing Internet sites consumes a large amount of bandwidth, since many Internet pages contain large amounts of high quality graphics and textual data. With personal computers, the bandwidth-hungry nature of browsing the Internet does not pose too much of a problem, since high speed modems and terminal adapters, such as ISDN, are readily and cheaply available. However, the bandwidth available to mobile users via Internet-enabled mobile phones and the like, using for example the GSM standard, is much more limited.

[0004] The arrival of the so-called third generation mobile phones will bring improvements in the available bandwidth, however the bandwidth will still be limited compared to that available for personal computer users.

[0005] Accordingly, one aim of the present invention is to improve browsing on mobile terminals.

[0006] According to a first aspect of the present invention, there is provided a method of accessing information on a computer network on a communication device, the device being capable of communicating with a first communications network and receiving a signal from a second communications network, the method comprising: receiving, via the second network, unsolicited information from the computer network, wherein the information contains an identifier identifying further information on the computer network; requesting, via the first network, further information from the computer network, wherein the further information is based on the received identifier; and receiving the further information via one of the first or second networks.

[0007] According to a second aspect of the present invention, there is provided a communication device for accessing information on a computer network, the device capable of communicating with a first communications network and receiving a signal from a second communications network, the device comprising: a receiver for receiving, via the second network, unsolicited information from the computer network, wherein the information contains an identifier identifying further information on the computer network; a transceiver for requesting, via the first network, further information from the computer network, wherein the further information is based on the received identifier.

[0008] The present invention provides many advantages, both to the user and to the service provider.

[0009] In order to encourage a user to visit a particular Internet site, the Internet site owner, through co-operation with a network service provider, may broadcast an amount of Internet data to many users. The Internet data may represent a so-called 'home page', be a number of Internet pages from an Internet site, or be a summary or site map of an Internet site. Those skilled in the art will appreciate that other alternatives are also possible. By broadcasting such data many users may be reached in a cost-effective way.

[0010] A user, upon receiving the broadcast data may freely browse the received data and can then decide whether he wishes to go on-line to browse the actual Internet site.

[0011] The user also benefits from this arrangement, since he may receive free data which he may browse at his leisure. If the data is of no interest, he simply ignores it. If the data is of interest, the user may quickly access the Internet site. Only when the user goes on-line is he charged for accessing the information.

[0012] The Internet site owner may also benefit due to a higher number of users accessing his site, therefore increasing sales or advertising revenue. The network provider may also benefit due to the increased number of calls being made to access the Internet.

[0013] The invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a block diagram showing how a mobile terminal 100 is connected to a computer network 116, such as the Internet, according to the prior art; and

Figure 2 is a block diagram showing a system according to a first embodiment of the present invention.

[0014] Figure 1 is a block diagram showing how a mobile terminal 100 is connected to computer network 116, such as the Internet, according to the prior art.

[0015] The mobile terminal 100 comprises an antenna 102 for transmitting signals to and receiving signals from a cellular network 112. The mobile terminal 100

comprises a transmitter/receiver module 104, which controls the transmission and reception of data via the antenna 102. A controller 106 controls the function of the mobile terminal 100 to enable the mobile terminal to make and receive telephone calls, as well as to provide the functions required to enable the mobile terminal to be used for browsing the Internet 116. The mobile terminal 100 also comprises a display module 108, connected to the controller 106 for displaying information from the Internet or the cellular network to a user. A subscriber identification module (SIM) 110 is connected to the controller 106 to allow authentication of the user and other security functions which are well understood in the art.

[0016] In order to browse the Internet 116, the mobile terminal 100 must first make a point-to-point connection with a service provider 114, via the cellular network 112. The Internet service provider (ISP) 114 is connected to the Internet and acts to transmit data to and receive data from the mobile terminal 100 thereby allowing the mobile terminal to browse the Internet. Whilst browsing is taking place, the connection between the mobile terminal 100 and the Internet service provider 114 must be maintained until the browsing session is terminated. Typically, charges are levied by the cellular network for making the connection between the mobile terminal 100 and the service provider.

[0017] Browsing the Internet can be costly due to above-mentioned charges. Moreover, browsing the Internet can be slow, due to bandwidth restrictions. This can be particularly frustrating if a user of a mobile terminal knows the location of the page of information in the Internet he wishes to browse, but in order to get to that page has to navigate from a home page through several sub-pages.

[0018] Figure 2 is a block diagram showing a system according to a first embodiment according to the present invention.

[0019] A mobile terminal 200 comprises an antenna 202 for transmitting signals to and receiving signals from a cellular network 212. Those skilled in the art will appreciate that other telecommunications networks could be used in place of the cellular network without detracting from the inventive concepts described herein. Such cellular networks include, but are not limited to, GSM, EDGE, GPRS, and UMTS. Other such networks include fixed line telecommunications networks. The mobile terminal 200 comprises a transmitter/receiver (transceiver) module 204, which controls the transmission and reception of data via the antenna 202. A controller 206 controls the function of the mobile terminal 200 to enable the mobile terminal to be able to make and receive telephone calls, as well as to provide the functions required to enable the mobile terminal to be used for browsing the Internet 216. The mobile terminal 200 also comprises a display module 208, connected to the controller 206 for displaying information from the Internet to a user. A subscriber identification module (SIM) 210 is connected

to the controller 206 to allow authentication of the user and other security functions, as will be apparent to those skilled in the art. The mobile terminal 200 further comprises a second antenna 220 for receiving signals from a terrestrial digital video broadcasting (DVB-T) network 224. Those skilled in the art will appreciate that other forms of broadcast network would also be suitable, such as a DVB satellite system. A DVB-T receiver 222 is connected to the antenna 220 for receiving and decoding DVB-T signals. The DVB-T receiver is also connected to the controller 206, whereby data received from the DVB-T network can be displayed via the display 208. A memory unit 218 is also connected to the controller 206 to allow storage of information received from either the DVB or the cellular network.

[0020] The mobile terminal 200 may browse the Internet 216 in the manner described above with reference to Figure 1, by connecting to an Internet service provider (ISP) 214 via a cellular telecommunications network 212.

[0021] The mobile terminal 200 may also receive Internet data broadcast via the DVB-T network 224. The user may browse the received Internet data and decide whether to make a connection to the Internet, via the cellular network, based on the received Internet data. The received Internet data may contain a so-called hyperlink, universal resource locator (URL) or other information which indicates the location of further information on a remote computer.

[0022] In a first embodiment, the connection to the Internet is established via the cellular network, for example as described above with reference to Figure 1. Requests for further information from the Internet are requested by the mobile terminal 200 via the cellular network 212. The requested information is sent to the mobile terminal also via the cellular network 212.

[0023] In a second embodiment, requests for further information are made by the mobile terminal via the cellular network, but the requested information is sent to the mobile terminal via the broadcast network. In certain situations it may be more economic to use the broadcast network for the transmission of data to the mobile terminal.

[0024] In this way, the initial data received via the broadcast network is used as a trigger to encourage a user to go on-line.

[0025] For example, a company may have an Internet site providing details of the company and a range of products or services on offer. In order to encourage users to access their Internet site the company, through co-operation with the DVB network 244 operator, may arrange to have some Internet data broadcast via the DVB network to mobile terminals, such as 200. The Internet data broadcast may be the so-called home page of the Internet site, may be a summary of the Internet site, or even a site map of the Internet site with links allowing each section of the Internet site to be accessed directly.

[0026] The broadcast of the Internet data is preferably unsolicited and may be directed towards all mobile terminals, or may be specifically targeted to individual or groups of mobile terminals according to a database of user profiles. The database of user profiles may be used to identity users to whom data is to be sent, which may be via point-to-point, multicast or broadcast transmissions. In this way, the Internet data may be transmitted to those users most likely to be interested in the Internet site of the company.

[0027] By being unsolicited data, the user does not have to actively do anything to receive the data, as any unsolicited data is received automatically.

[0028] The unsolicited information may optionally contain a content identifier, which identifies the subject matter of the information. Additionally, each mobile terminal may be configured with a user defined filter to filter out unsolicited information having a content identifier not defined by the user. For example, a user may define a set of subjects of interest, such as sport, leisure, finance, etc., and the mobile terminal will therefore filter out any unsolicited information which does not conform to the user preferences.

[0029] Given the high bandwidth of the DVB network the broadcast Internet data may be broadcast in a very quick and very cost-effective manner.

[0030] Once users have received the broadcast Internet data they may browse the data at will, free of charge. The data may be ignored or deleted if desired by the user. Alternatively, the user can decide to go on-line to access the full Internet site. In this way, the user only incurs charges when he has decided to go on-line.

[0031] Those skilled in the art will appreciate that, although the present invention is described with reference to the Internet, connections to other world-wide computer networks is also possible, as well as connection to private computer networks, such as corporate intranets etc. Additionally, reference to broadcast networks refers to any type of network which can provide the transport of multicast or broadcast data. Those skilled in the art will further appreciate that reference to mobile terminal is not limited to portable communication devices, and the present invention may suitably be implemented in fixed or home-based devices.

Claims

1. A method of accessing information on a computer network on a communication device, the device being capable of communicating with a first communications network and receiving a signal from a second communications network, the method comprising:

receiving, via the second network, unsolicited information from the computer network, wherein the information contains an identifier identifying

further information on the computer network;

requesting, via the first network, further information from the computer network, wherein the further information is based on the received identifier; and

receiving the further information via one of the first or second networks.

2. The method of claim 1, wherein the second communications network is a broadcast network, and wherein the step of receiving via the second network is adapted for receiving via the broadcast network.

3. The method of claim 1 or 2, wherein the first communications network is a telecommunications network, and wherein the step of receiving the further information is adapted for receiving the further information via the telecommunications network.

4. The method of claim 1 or 2, wherein the step of receiving the further information is adapted for receiving the further information via the broadcast network.

5. The method of claim 1, 2, 3 or 4, wherein the unsolicited information contains a content identifier, further comprising storing, on the device, a list of content identifiers of interest.

6. The method of claim 5, further comprising filtering the received unsolicited information to remove any information not having a content identifier in the list of content identifiers.

7. The method of any preceding claim, wherein the second communication network is digital video broadcast terrestrial (DVB-T) network, and wherein the steps of receiving via the second network are adapted for receiving via the DVB-T network.

8. The method of any preceding claims, wherein the first communication network is a cellular network, and wherein the step of receiving via the further information is adapted to receive via the cellular network.

9. A communication device for accessing information on a computer network, the device capable of communicating with a first communications network and receiving a signal from a second communications network, the device comprising:

a receiver for receiving, via the second network, unsolicited information from the computer network, wherein the information contains an identifier identifying further information on the com-

puter network;
a transceiver for requesting, via the first network, further information from the computer network, wherein the further information is based on the received identifier.

10. The device of claim 9, wherein transceiver is adapted to receive the further information via the first network.
11. The device of claim 9, wherein the receiver is adapted to receive the further information via the second network.
12. The device of claim 9, 10 or 11, wherein the second communications network is a broadcast network, and wherein the receiver is adapted to receive the unsolicited information via the broadcast network.
13. The device of claim 9, 10, 11 or 12, wherein the first communication network is a telecommunications network, and wherein the transceiver is adapted for use with the telecommunications network.
14. The device of any of claims 9 to 13 wherein the unsolicited information contains a content identifier, and further comprising a memory for storing, on the device, a list of content identifiers of interest.
15. The device of claim 14, further comprising a filter for filtering the received unsolicited information to remove any information not having a content identifier in the list of content identifiers.
16. The device of any of claims 9 to 15, wherein the second communication network is digital video broadcast terrestrial (DVB-T) network, and wherein the receiver is adapted to receive via the DVB-T network.
17. The device of any of claims 9 to 16, wherein the first communication network is a cellular network, and wherein the transceiver is adapted for use with the cellular network.
18. The device of any of claims 9 to 17, wherein the communication device is a portable communication device.
19. A system for accessing information on a computer network using a device as claimed in any one of claims 9 to 18.
20. The system of any of claims 9 to 19, further comprising a database of user profiles for storing a list of information categories determined to be of interest to the users.

21. The system of claim 20, further comprising a broadcast transmitter for transmitting information from the computer network to users determined to be interested in the information.
22. A method of distributing information using the system of any of claims 19 to 21.
23. A method of distributing information for use with the device of any of claims 9 to 18.
24. A method of accessing information on a computer network on a portable communication device substantially as hereinbefore described with reference to the accompanying drawings.
25. A communication device for accessing information on a computer network substantially as hereinbefore described with reference to the accompanying drawings.
26. A system for accessing information on a computer network substantially as hereinbefore described with reference to the accompanying drawings.




FIG. 1
PRIOR ART




FIG. 2



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
26.03.2003 Bulletin 2003/13

(51) Int Cl.7: **H04L 12/28, H04L 12/18,**
H04L 29/06, H04N 7/24,
H04H 1/00

(43) Date of publication A2:
21.08.2002 Bulletin 2002/34

(21) Application number: **02251013.5**

(22) Date of filing: **14.02.2002**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
 Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
 • **Aaltonen, Janne**
20900 Turku (FI)
 • **Salo, Juha**
20660 Littoinen (FI)
 • **Walsh, Roderick**
33850 Tampere (FR)

(30) Priority: **15.02.2001 GB 0103753**

(74) Representative: **Read, Matthew Charles et al**
Venner Shipley & Co.
20 Little Britain
London EC1A 7DH (GB)

(71) Applicant: **Nokia Corporation**
02150 Espoo (FI)

(54) **Method and apparatus for accessing data**

(57) The present invention relates to accessing data on computer networks, and more particularly to accessing such data via remote terminals.

The present invention provides that unsolicited in-

formation is received via a first communications network (224) on a communications device (200). Based on that information, the user can request further information via a second communications network (212).




FIG. 2



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 1013

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	WO 98 56188 A (SONY ELECTRONICS INC) 10 December 1998 (1998-12-10) * page 7, line 1 - page 8, line 30 * * page 9, line 28 - page 12, line 39 * * page 14, line 12 - line 20 * * page 15, line 30 - line 35 * * page 22, line 19 - page 27, line 10 * * figures 10,12 *	1-7, 9-16, 19-26	H04L12/28 H04L12/18 H04L29/06 H04N7/24 H04H1/00
X	TARUMI H ET AL: "SpaceTag: an overlaid virtual system and its applications" MULTIMEDIA COMPUTING AND SYSTEMS, 1999. IEEE INTERNATIONAL CONFERENCE ON FLORENCE, ITALY 7-11 JUNE 1999, LOS ALAMITOS, CA, USA, IEEE COMPUT. SOC, US, 7 June 1999 (1999-06-07), pages 207-212, XP010342852 ISBN: 0-7695-0253-9 * abstract * * sections 1., 2., 3. *	1-3, 5-10, 12-20, 22,23	
X	HARTWIG S ET AL: "MOBILE MULTIMEDIA - CHALLENGES AND OPPORTUNITIES INVITED PAPER" IEEE TRANSACTIONS ON CONSUMER ELECTRONICS, IEEE INC. NEW YORK, US, no. 4, November 2000 (2000-11), pages 1167-1178, XP001100008 ISSN: 0098-3063 * abstract * * sections 2., 3., 4., 5.	1,2,4,7, 9,11-13, 16-19, 22-26	H04L H04N
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 29 January 2003	Examiner Kesting, V
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (P4/C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 1013

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	TERNULLO N J ET AL: "InfoFlo: a novel communication infrastructure for personal digital assistants" SYSTEMS, MAN, AND CYBERNETICS, 2000 IEEE INTERNATIONAL CONFERENCE ON NASHVILLE, TN, USA 8-11 OCT. 2000, PISCATAWAY, NJ, USA, IEEE, US, 8 October 2000 (2000-10-08), pages 448-453, XP010523446 ISBN: 0-7803-6583-6 * abstract * * sections 1., 2., 3., 4.	1-3,5,6, 8-10, 12-15, 17-20, 22-26	
A	CLAUSEN H D ET AL: "INTERNET OVER DIRECT BROADCAST SATELLITES" IEEE COMMUNICATIONS MAGAZINE, IEEE SERVICE CENTER, PISCATAWAY, N.J, US, vol. 37, no. 6, June 1999 (1999-06), pages 146-151, XP000835291 ISSN: 0163-6804 * the whole document *	4,7,11, 16,21	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
Place of search	Date of completion of the search	Examiner	
THE HAGUE	29 January 2003	Kesting, V	
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document</p> <p>T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons &: member of the same patent family, corresponding document</p>			

EPO FORM 1503 (3.82 (P04031))

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 1013

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-01-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9856188 A	10-12-1998	US 6195692 B1	27-02-2001
		US 6397387 B1	28-05-2002
		US 6028600 A	22-02-2000
		US 6072483 A	06-06-2000
		US 6260192 B1	10-07-2001
		AT 224623 T	15-10-2002
		AU 7446798 A	21-12-1998
		DE 69808080 D1	24-10-2002
		EP 1143731 A1	10-10-2001
		EP 0986901 A2	22-03-2000
		WO 9856188 A2	10-12-1998
		JP 2002507344 T	05-03-2002
		US 2002078467 A1	20-06-2002
		US 6411307 B1	25-06-2002
		US 6295057 B1	25-09-2001

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82